

(EU) 2019/882 Conformity Test Report

| | |
|---|-----------|
| ABOUT THIS DOCUMENT | 2 |
| 1. GENERAL DESCRIPTION OF THE PRODUCT | 3 |
| 2. ACCESSIBILITY CONFORMANCE REPORT | 4 |
| TERMS | 4 |
| EN 301 549 REPORT | 4 |
| <i>Chapter 5: Generic Requirements</i> | <i>4</i> |
| <i>Chapter 6: ICT supporting continuous bidirectional communication</i> | <i>10</i> |
| <i>Chapter 7: ICT with Video Capabilities</i> | <i>11</i> |
| <i>Chapter 8: Hardware.....</i> | <i>12</i> |
| <i>Chapter 9: Web.....</i> | <i>13</i> |
| <i>Chapter 11: Software</i> | <i>16</i> |
| <i>Chapter 12: Documentation and Support Services.....</i> | <i>26</i> |

About This Document

The technical documentation includes the following standards/guidelines:

- EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)
- EN 301 549 Accessibility requirements for ICT products and services – V4.1.1c (2025-04)

This document is broken into three main sections:

- 1. General description of the product
- 2. Accessibility Conformance Report

1. General description of the product

Manufacturer: Honor Device Co., Ltd.

Product Name: HONOR MagicPad4

Product Description: Tablet

Model No. : YLE-W09

Trade Mark: HONOR

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: EN 301 549 V3.2.1 (2021-03), EN 301 549 V4.1.1c (2025-04) - V.0.0.13

Report Date: 2026-01-26

2. Accessibility Conformance Report

This report covers the degree of conformance for the following accessibility standard/guidelines:

| Standard/Guideline | Included In Report |
|--|--------------------|
| EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03) <i>AND</i> EN 301 549 Accessibility requirements for ICT products and services - V4.1.1c (2025-04) | Yes |
| Web Content Accessibility Guidelines 2.2 | No |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.

EN 301 549 Report

| | |
|--------------|------|
| Test Result: | Pass |
|--------------|------|

Chapter 5: Generic Requirements

Notes:

| Criteria | Conformance Level | Procedure |
|---|-------------------|---|
| 5.1 Closed functionality | | |
| 5.1.2 General | | |
| 5.1.2.1 Closed functionality | | |
| 5.1.2.2 Assistive technology and closed functionality | Pass | <p>1.Determine the functionality of the ICT that is closed.</p> <p>2.Check that the tests C.5.1.3 to C.5.1.6 can be carried out without the attachment or installation of any assistive technology except personal headsets or inductive loops.</p> |
| 5.1.3 Non-visual access | | |
| 5.1.3.1 Audio output of visual information | Pass | <p>1.Determine the functionality of the ICT that is closed.</p> <p>2.Check that they are all operable using audio output access.</p> |
| 5.1.3.2 Auditory output delivery including speech | Pass | <p>1.Check that the auditory output is delivered by a mechanism included in or provided with the ICT.</p> <p>2.Check that the auditory output is delivered by a personal headset that can be connected through a 3,5 mm audio jack without requiring the use of vision.</p> |
| 5.1.3.4 Speech output user control | Pass | <p>1.Check that the speech output is capable of being interrupted when requested by the user.</p> <p>2.Check that the speech output is capable of being repeated when requested by the user.</p> |

| | | |
|--|----------------|--|
| 5.1.3.5 Speech output automatic interruption | Pass | <p>1.Determine the closed functions of the ICT.</p> <p>2.Check that the speech output for each single function is interrupted on a user action.</p> <p>3.Check that the speech output for each single function is interrupted when new speech output begins.</p> |
| 5.1.3.6 Speech output for non-text content | Pass | <p>1.Check that speech output is provided as an alternative for non-text content.</p> <p>2.Check that the non-text content is not pure decoration.</p> <p>3.Check that the non-text content is not used only for visual formatting.</p> <p>4.Check that the speech output follows the guidance for "text alternative" described in WCAG 2.2 Success Criterion 1.1.1.</p> |
| 5.1.3.7 Speech output for video information | Not applicable | Not applicable |
| 5.1.3.8 Masked entry | Pass | <p>1.Check that the auditory output is not a spoken version of the characters entered.</p> <p>2.Check that the auditory output is known to be delivered only to a mechanism for private listening.</p> |
| 5.1.3.9 Private access to personal data | Pass | <p>1.Check that the auditory output is only delivered through a mechanism for private listening.</p> <p>2.Check that the mechanism for private listening can be connected without requiring the use of vision.</p> <p>3.Check that the auditory output is delivered through all user-selectable mechanisms.</p> |

| | | |
|---|----------------|---|
| 5.1.3.10 Non-interfering audio output | Not applicable | Not applicable |
| 5.1.3.11 Private listening volume | Pass | Check that there is at least one non-visual mode of operation for controlling the volume. |
| 5.1.3.12 Speaker volume | Pass | 1. Check that a non-visual incremental volume control is provided. 2. Check that output amplification up to a level of at least 65 dBA (-29 dBPaA) is available. |
| 5.1.3.13 Volume reset | Not applicable | Not applicable |
| 5.1.3.14 Spoken languages | Pass | Check that the speech output is in the same human language of the displayed content provided. |
| 5.1.3.15 Non-visual error identification | Pass | 1. Check that speech output identifies the item that is in error. 2. Check that the speech output describes the item that is in error. |
| 5.1.3.16 Receipts, tickets, and transactional outputs | Pass | Check that speech output is provided which includes, all information necessary to complete or verify the transaction. |
| 5.1.4 Functionality closed to text enlargement | Not applicable | Not applicable |
| 5.1.5 Visual output for auditory information | Pass | Check that the visual information is equivalent to the pre-recorded auditory output. |
| 5.1.6 Operation without keyboard interface | | |
| 5.1.6.1 Closed functionality | Not applicable | Not applicable |
| 5.1.6.2 Input focus | Not applicable | Not applicable |
| 5.1.7 Access without speech | Pass | Check that the closed functions can be enabled by an alternative input mechanism that does not require speech. |

| | | |
|---|----------------|---|
| 5.1.8 Identify input purpose (closed functionality) | Pass | <p>1.For each input field that collects information about a user check that it serves a purpose identified in the Input Purposes for User Interface Components section of WCAG 2.2.</p> <p>2.Check that there is auditory output that conforms to clause 5.1.3.2.</p> <p>3.Check that the auditory output describes the input purpose.</p> |
| 5.2 Activation of accessibility features | Pass | Check that it is possible to activate those accessibility features without relying on a method that does not support that need. |
| 5.3 Biometrics | Pass | <p>1.Check that means can be used for user identification.</p> <p>2.Check that another means can be used for control of ICT.</p> |
| 5.4 Preservation of accessibility information during conversion | Not applicable | Not applicable |
| 5.5 Control using tactilely discernible operable parts | Pass | 3.Check that there is a mode of operation that allows all the functionality of the ICT that requires manual operation and control to be controlled without requiring vision using only tactilely discernible operable parts. |
| 5.6 Locking or toggle controls | | |
| 5.6.1 Tactile or auditory status | Pass | <p>1.Check that there is at least one mode of operation where the status of all locking or toggle controls can be determined through touch without operating the control.</p> <p>2.Check that there is at least one mode of operation where the status of all locking or toggle controls can be determined through sound without operating the control.</p> |
| 5.6.2 Visual status | Pass | Check that there is at least one mode of operation where the status of all locking or |

| | |
|--|---|
| | toggle controls can be visually determined when the control is presented. |
|--|---|

Chapter 6: ICT supporting continuous bidirectional communication

Notes:

| Criteria | Conformance Level | Procedure |
|--|-------------------|----------------|
| 6.1 Audio bandwidth for voice communication | Not applicable | Not applicable |
| 6.2 Real-time text (RTT) | | |
| 6.2.1 RTT provision | | |
| 6.2.1.1 RTT functionality | Not applicable | Not applicable |
| 6.2.1.2 Concurrent voice and RTT | Not applicable | Not applicable |
| 6.2.1.3 Single user operations | Not applicable | Not applicable |
| 6.2.2 Display of RTT | | |
| 6.2.2.1 Distinguishable display | Not applicable | Not applicable |
| 6.2.2.2 Active communicator indication | Not applicable | Not applicable |
| 6.2.2.3 Indication of audio with RTT | Not applicable | Not applicable |
| 6.2.2.4 Presentation of relative time order of text | Not applicable | Not applicable |
| 6.2.2.5 Review of RTT communication contents | Not applicable | Not applicable |
| 6.2.3 DTMF touch-tone generation during RTT operations | Not applicable | Not applicable |
| 6.2.4 RTT responsiveness | Not applicable | Not applicable |
| 6.2.5 Adding and erasing of RTT input | Not applicable | Not applicable |
| 6.2.6 Processing rate of RTT | Not applicable | Not applicable |
| 6.2.7 Character representation | Not applicable | Not applicable |
| 6.2.8 RTT input methods | Not applicable | Not applicable |
| 6.2.9 RTT activation | Not applicable | Not applicable |
| 6.2.10 RTT interoperability | Not applicable | Not applicable |
| 6.3 Caller ID | Not applicable | Not applicable |
| 6.4 Alternatives to voice-based services | Not applicable | Not applicable |
| 6.5 Video communication | | |
| 6.5.2 Resolution | Not applicable | Not applicable |
| 6.5.3 Frame rate | Not applicable | Not applicable |
| 6.5.4 Synchronization between audio and video | Not applicable | Not applicable |

| Criteria | Conformance Level | Procedure |
|---|-------------------|----------------|
| 6.5.5 Visual indicator of audio with video | Not applicable | Not applicable |
| 6.5.6 Speaker identification with video (sign language) communication | Not applicable | Not applicable |
| 6.6 Alternatives to video-based services (recommendation) | | |
| 6.7 Total conversation provision | | |

Chapter 7: ICT with Video Capabilities

Notes:

| Criteria | Conformance Level | Procedure |
|--|-------------------|---|
| 7.1 Caption processing technology | | |
| 7.1.1 Captioning playback | Pass | 1. Check that there is a mode of operation that allows the available subtitles to be displayed. Or check that there is a mechanism that provides an ability to choose to display the subtitles. |
| 7.1.2 Captioning synchronization | Pass | Check that the mechanism to display the subtitles preserves the synchronization between the audio and corresponding subtitles within a tenth of a second of the time stamp of the subtitle, or the availability of the subtitle to the player if a live subtitle. |
| 7.1.3 Preservation of captioning | Pass | Check that the ICT preserves subtitle data such that it can be displayed in a manner consistent with clauses 7.1.1 and 7.1.2. |
| 7.1.4 Captions characteristics | Pass | Check that the ICT provides a way for the user to adapt the displayed characteristics of subtitles to their individual requirements. |
| 7.1.5 Spoken interlingual subtitles | Pass | Check that there is a mode of operation to provide a spoken output of the available interlingual subtitles. |
| 7.2 Audio description technology | | |
| 7.2.1 Audio description playback | Pass | 1. Check that there is an explicit and separate |

| Criteria | Conformance Level | Procedure |
|--|-------------------|---|
| | | <p>mechanism for audio description.</p> <p>2. Check that there is a mechanism to select and play the audio description to the default audio channel.</p> <p>3. Check that the ICT enables the user to select and play several audio tracks.</p> |
| 7.2.2 Audio description synchronization | Pass | Check that the synchronization between the audio/visual content and the corresponding audio description is preserved. |
| 7.2.3 Preservation of audio description | Pass | Check that the ICT preserves audio description data such that it can be played in a manner consistent with clauses 7.2.1 and 7.2.2. |
| 7.3 User controls for captions and audio description | Pass | Check that there is at least one shortcut method to activate and deactivate the presentation of those subtitles and audio description that meets the requirements of the present document. |

Chapter 8: Hardware

Notes:

| Criteria | Conformance Level | Procedure |
|---|-------------------|--|
| 8.1 General | | |
| 8.1.1 Generic requirements (informative) | | |
| 8.1.2 Standard connections | Pass | <p>1. Check that one type of connection conforms to an industry standard non-proprietary format.</p> <p>2. Check that one type of connection conforms to an industry standard non-proprietary format through the use of commercially available adapters.</p> |
| 8.1.3 Colour | Pass | Check that an alternative form of visual coding is provided. |

| Criteria | Conformance Level | Procedure |
|---|-------------------|----------------|
| 8.3 Stationary ICT | | |
| 8.3.1 Forward or side reach | Not applicable | Not applicable |
| 8.3.2 Forward reach | | |
| 8.3.2.1 Unobstructed forward reach for operable parts | Not applicable | Not applicable |
| 8.3.2.2 Forward reach display location | Not applicable | Not applicable |
| 8.3.2.3 Obstructed forward reach | | |
| 8.3.2.3.1 Clear space underneath an obstruction | Not applicable | Not applicable |
| 8.3.2.3.2 Obstructed forward reach range | Not applicable | Not applicable |
| 8.3.3 Side reach | | |
| 8.3.3.1 Unobstructed high and low side reach | Not applicable | Not applicable |
| 8.3.3.2 Obstructed side reach range | Not applicable | Not applicable |
| 8.4 Operable parts | | |
| 8.4.1 Numeric keys | Not applicable | Not applicable |
| 8.4.2.2 Force of operation of operable parts | Not applicable | Not applicable |

Chapter 9: Web

Notes:

| Criteria | Conformance Level | Procedure |
|---|-------------------|----------------|
| 9.1 Perceivable | | |
| 9.1.1 Text alternatives | | |
| 9.1.1.1 Non-text content | Not applicable | Not applicable |
| 9.1.2 Time-based media | | |
| 9.1.2.1 Audio-only and video-only (pre-recorded) | Not applicable | Not applicable |
| 9.1.2.2 Captions (pre-recorded) | Not applicable | Not applicable |
| 9.1.2.3 Audio description or media alternative (pre-recorded) | Not applicable | Not applicable |
| 9.1.2.4 Captions (live) | Not applicable | Not applicable |
| 9.1.2.5 Audio description (pre-recorded) | Not applicable | Not applicable |
| 9.1.3 Adaptable | | |

| Criteria | Conformance Level | Procedure |
|--|--------------------------|------------------|
| 9.1.3.1 Info and relationships | Not applicable | Not applicable |
| 9.1.3.2 Meaningful sequence | Not applicable | Not applicable |
| 9.1.3.3 Sensory characteristics | Not applicable | Not applicable |
| 9.1.3.4 Orientation | Not applicable | Not applicable |
| 9.1.3.5 Identify input purpose | Not applicable | Not applicable |
| 9.1.4 Distinguishable | | |
| 9.1.4.1 Use of colour | Not applicable | Not applicable |
| 9.1.4.2 Audio control | Not applicable | Not applicable |
| 9.1.4.3 Contrast (minimum) | Not applicable | Not applicable |
| 9.1.4.4 Resize text | Not applicable | Not applicable |
| 9.1.4.5 Images of text | Not applicable | Not applicable |
| 9.1.4.10 Reflow | Not applicable | Not applicable |
| 9.1.4.11 Non-text contrast | Not applicable | Not applicable |
| 9.1.4.12 Text spacing | Not applicable | Not applicable |
| 9.1.4.13 Content on hover or focus | Not applicable | Not applicable |
| 9.2 Operable | | |
| 9.2.1 Keyboard accessible | | |
| 9.2.1.1 Keyboard | Not applicable | Not applicable |
| 9.2.1.2 No keyboard trap | Not applicable | Not applicable |
| 9.2.1.4 Character key shortcuts | Not applicable | Not applicable |
| 9.2.2 Enough time | | |
| 9.2.2.1 Timing adjustable | Not applicable | Not applicable |
| 9.2.2.2 Pause, stop, hide | Not applicable | Not applicable |
| 9.2.3 Seizures and physical reactions | | |
| 9.2.3.1 Three flashes or below threshold | Not applicable | Not applicable |
| 9.2.4 Navigable | | |
| 9.2.4.1 Bypass blocks | Not applicable | Not applicable |
| 9.2.4.2 Page titled | Not applicable | Not applicable |
| 9.2.4.3 Focus order | Not applicable | Not applicable |

| Criteria | Conformance Level | Procedure |
|---|--------------------------|------------------|
| 9.2.4.4 Link purpose (in context) | Not applicable | Not applicable |
| 9.2.4.5 Multiple ways | Not applicable | Not applicable |
| 9.2.4.6 Headings and labels | Not applicable | Not applicable |
| 9.2.4.7 Focus visible | Not applicable | Not applicable |
| 9.2.4.11 Focus not obscured (minimum) | Not applicable | Not applicable |
| 9.2.5 Input modalities | | |
| 9.2.5.1 Pointer gestures | Not applicable | Not applicable |
| 9.2.5.2 Pointer cancellation | Not applicable | Not applicable |
| 9.2.5.3 Label in name | Not applicable | Not applicable |
| 9.2.5.4 Motion actuation | Not applicable | Not applicable |
| 9.2.5.7 Dragging movements | Not applicable | Not applicable |
| 9.2.5.8 Target size (minimum) | Not applicable | Not applicable |
| 9.3 Understandable | | |
| 9.3.1 Readable | | |
| 9.3.1.1 Language of page | Not applicable | Not applicable |
| 9.3.1.2 Language of parts | Not applicable | Not applicable |
| 9.3.2 Predictable | | |
| 9.3.2.1 On focus | Not applicable | Not applicable |
| 9.3.2.2 On input | Not applicable | Not applicable |
| 9.3.2.3 Consistent navigation | Not applicable | Not applicable |
| 9.3.2.4 Consistent identification | Not applicable | Not applicable |
| 9.3.2.6 Consistent help | Not applicable | Not applicable |
| 9.3.3 Input assistance | | |
| 9.3.3.1 Error identification | Not applicable | Not applicable |
| 9.3.3.2 Labels or instructions | Not applicable | Not applicable |
| 9.3.3.3 Error suggestion | Not applicable | Not applicable |
| 9.3.3.4 Error prevention (legal, financial, data) | Not applicable | Not applicable |
| 9.3.3.7 Redundant entry | Not applicable | Not applicable |
| 9.3.3.8 Accessible authentication (minimum) | Not applicable | Not applicable |

| Criteria | Conformance Level | Procedure |
|---------------------------|-------------------|----------------|
| 9.4 Robust | | |
| 9.4.1 Compatible | | |
| 9.4.1.2 Name, role, value | Not applicable | Not applicable |
| 9.4.1.3 Status messages | Not applicable | Not applicable |

Chapter 11: Software

Notes:

| Criteria | Conformance Level | Procedure |
|--|-------------------|--|
| 11.1 Perceivable | | |
| 11.1.1 Text alternatives | | |
| 11.1.1.1 Non-text content | Pass | Check that the functionality that is not closed does not fail WCAG 2.2 Success Criterion 1.1.1 Non-text Content. |
| 11.1.2 Time-based media | | |
| 11.1.2.1 Audio-only and video-only (pre-recorded) | Pass | Check that functionality that is not closed does not fail WCAG 2.2 Success Criterion 1.2.1 Audioonly and Video-only (Prerecorded). |
| 11.1.2.2 Captions (pre-recorded) | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.2.2 Captions (Prerecorded). |
| 11.1.2.3 Audio description or media alternative (pre-recorded) | Pass | Check that functionality that is not closed does not fail WCAG 2.2 Success Criterion 1.2.3 Audio Description or Media Alternative (Prerecorded). |
| 11.1.2.4 Captions (live) | Not applicable | Not applicable |
| 11.1.2.5 Audio description (pre-recorded) | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.2.5 Audio Description (Prerecorded). |
| 11.1.3 Adaptable | | |
| 11.1.3.1 Info and relationships | Pass | Check that the functionality that is not closed does not fail WCAG 2.2 Success Criterion 1.3.1 Info and Relationships. |

| Criteria | Conformance Level | Procedure |
|-------------------------------------|--------------------------|--|
| 11.1.3.2 Meaningful sequence | Pass | Check that functionality that is not closed does not fail WCAG 2.2 Success Criterion 1.3.2 Meaningful Sequence. |
| 11.1.3.3 Sensory characteristics | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.3.3 Sensory Characteristics. |
| 11.1.3.4 Orientation | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.3.4 Orientation. |
| 11.1.3.5 Identify input purpose | Pass | Check that the functionality that is not closed does not fail WCAG 2.2 Success Criterion 1.3.5 Identify Input Purpose. |
| 11.1.4 Distinguishable | | |
| 11.1.4.1 Use of colour | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.4.1 Use of Colour. |
| 11.1.4.2 Audio control | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.4.2 Audio Control. |
| 11.1.4.3 Contrast (minimum) | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.4.3 Contrast (Minimum). |
| 11.1.4.4 Resize text | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.4.4 Resize text. |
| 11.1.4.5 Images of text | Pass | Check that the functionality that is not closed does not fail WCAG 2.2 Success Criterion 1.4.5 Images of Text. |
| 11.1.4.10 Reflow | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.4.10 Reflow. |
| 11.1.4.11 Non-text contrast | Pass | Check that the software does not fail the Success Criterion WCAG 2.2 Success Criterion 1.4.11 Non-text Contrast. |
| 11.1.4.12 Text spacing | Not applicable | Not applicable |
| 11.1.4.13 Content on hover or focus | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 1.4.13 Content on hover or focus. |
| 11.2 Operable | | |
| 11.2.1 Keyboard accessible | | |

| Criteria | Conformance Level | Procedure |
|---|-------------------|--|
| 11.2.1.1 Keyboard | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.1.1 Keyboard |
| 11.2.1.2 No keyboard trap | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.1.2 No Keyboard Trap. |
| 11.2.1.4 Character key shortcuts | Not applicable | Not applicable |
| 11.2.2 Enough time | | |
| 11.2.2.1 Timing adjustable | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.2.1 Timing Adjustable. |
| 11.2.2.2 Pause, stop, hide | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.2.2 Pause, Stop, Hide. |
| 11.2.3 Seizures and physical reactions | | |
| 11.2.3.1 Three flashes or below threshold | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.3.1 Three Flashes or Below Threshold. |
| 11.2.4 Navigable | | |
| 11.2.4.3 Focus order | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.4.3 Focus Order. |
| 11.2.4.4 Link purpose (in context) | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.4.4 Link Purpose (In Context). |
| 11.2.4.6 Headings and labels | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.4.6 Headings and Labels. |
| 11.2.4.7 Focus visible | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.4.7 Focus Visible. |
| 11.2.4.11 Focus not obscured (minimum) | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.4.11 Focus not obscured (minimum). |
| 11.2.5.1 Pointer gestures | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.5.1 Pointer Gestures. |
| 11.2.5.2 Pointer cancellation | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.5.2 Pointer Cancellation. |
| 11.2.5.3 Label in name | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.5.3 Label in Name. |
| 11.2.5.4 Motion actuation | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.5.4 Motion Actuation. |

| Criteria | Conformance Level | Procedure |
|--|-------------------|--|
| 11.2.5.7 Dragging movements | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.5.7 Dragging movements. |
| 11.2.5.8 Target size (minimum) | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 2.5.8 Target size (minimum). |
| 11.3 Understandable | | |
| 11.3.1 Readable | | |
| 11.3.1.1 Language of page | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 3.1.1 Language of software. |
| 11.3.2 Predictable | | |
| 11.3.2.1 On focus | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 3.2.1 On Focus. |
| 11.3.2.2 On input | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 3.2.2 On Input. |
| 11.3.2.4 Consistent identification | Pass | Check that components that have the same functionality within the non-web software are identified consistently. 2. Where inconsistent identification of components is detected, check that this is because the inconsistency is essential to the function of the software. |
| 11.3.3 Input assistance | | |
| 11.3.3.1 Error identification | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 3.3.1 Error Identification. |
| 11.3.3.2 Labels or instructions | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 3.3.2 Labels or Instructions. |
| 11.3.3.3 Error suggestion | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 3.3.3 Error Suggestion. |
| 11.3.3.4 Error prevention (legal, financial, data) | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 3.3.4 Error Prevention (Legal, Financial, Data). |
| 11.3.3.7 Redundant entry | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 3.3.7 Redundant Entry. |
| 11.3.3.8 Accessible authentication (minimum) | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 3.3.8 Accessible Authentication (Minimum). |
| 11.4 Robust | | |

| Criteria | Conformance Level | Procedure |
|--|-------------------|---|
| 11.4.1 Compatible | | |
| 11.4.1.2 Name, role, value | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 4.1.2 Name, Role, Value. |
| 11.4.1.3 Status messages | Pass | Check that the software does not fail WCAG 2.2 Success Criterion 4.1.3 Status messages. |
| 11.5 Interoperability with assistive technology | | |
| 11.5.1 Closed functionality | Pass | Check that the closed functionality conforms to clause 5.1. |
| 11.5.2 Accessibility services | | |
| 11.5.2.1 Platform interoperability with assistive technologies | Pass | Check that the platform provides a set of documented platform accessibility. 2. For each user interface concept corresponding to the clauses 11.5.2.5 to 11.5.2.17 supported within the platform software. 2.1 Check that the platform software documentation includes information about platform services that enable assistive technology to interoperate with software running on the platform. |
| 11.5.2.3 Use of accessibility services | Pass | 1. Check that the software uses the applicable documented platform accessibility services. 2. Check that the software can meet the applicable requirements 11.5.2.5 to 11.5.2.17 whilst using the documented platform accessibility services. 3. Check that the software can meet requirements 11.5.2.5 to 11.5.2.17 whilst using the documented platform accessibility services and other documented services. |
| 11.5.2.4 Assistive technology | Pass | Check that the assistive technology uses the documented platform accessibility services. |
| 11.5.2.5 Object information | Pass | Using an appropriate accessibility inspection tool for platforms: 1. Check that the user interface element's role is programmatically determinable. 2. Check that the user interface element's state(s) is programmatically determinable. 3. Check that the user interface |

| Criteria | Conformance Level | Procedure |
|-----------------------------------|-------------------|--|
| | | <p>element's boundary is programmatically. 4. Check that the user interface element's name is programmatically determinable.</p> <p>5. Check that the user interface element's description is programmatically determinable.</p> |
| 11.5.2.6 Row, column, and headers | Pass | <p>Using an appropriate accessibility inspection tool for platforms: 1. Select a data table in which the tests are to be performed. 2. Check that each cell's row is programmatically determinable by the tool. 3. Check that each cell's column is programmatically determinable by the tool. 4. Check that each cell's row header, if the row header exists, is programmatically determinable by the tool. 5. Check that each cell's column header, if the column header exists, is programmatically determinable by the tool.</p> |
| 11.5.2.7 Values | Pass | <p>Using an appropriate accessibility inspection tool for platforms: 1. Select a user interface element that can have a value. 2. Check that the current value is programmatically determinable by the tool. 3. If the user interface element conveys information about a range of values, check that the minimum value is programmatically determinable by the tool. 4. If the user interface element conveys information about a range of values, check that the maximum value is programmatically determinable by the tool.</p> |
| 11.5.2.8 Label relationships | Pass | <p>Using an appropriate accessibility inspection tool for platforms: 1. Obtain the information of each user interface element. 2. Check that the user interface element's information includes the relationship with the user interface element that is its label, if the current user interface element has a label, and that this relationship is programmatically determinable by the tool. 3.</p> |

| Criteria | Conformance Level | Procedure |
|-------------------------------------|-------------------|---|
| | | Check that the user interface element's information includes the relationship with the user interface element that it is labelling, if the current user interface element is a label, and that this relationship is programmatically determinable by the tool. |
| 11.5.2.9 Parent-child relationships | Pass | <p>Using an appropriate accessibility inspection tool for platforms:</p> <ol style="list-style-type: none"> For user interface elements that have a parent, check that the user interface element's information includes the relationship with the user interface element that is its parent. Check that the user interface elements that are parents of the user interface element selected in check 1, include the relationship with the user interface elements that are its children in their information, and that this relationship is programmatically determinable by the tool. For user interface elements that are a parent of other user interface elements, check that the user interface element's information includes the relationship with the user interface elements that are its children, and that this relationship is programmatically determinable by the tool. Check that the user interface elements that are a child of the user interface element selected in check 3, include the relationship with the user interface elements that are its parents in their information, and that this relationship is programmatically determinable by the tool. |
| 11.5.2.10 Text | Pass | Using an appropriate accessibility inspection tool for platforms: <ol style="list-style-type: none"> For instances of text rendered to the screen, check that the text's information includes its text content, and that this information is programmatically determinable by the tool. For instances of |

| Criteria | Conformance Level | Procedure |
|--|-------------------|---|
| | | text rendered to the screen, check that the text's information includes its attributes, and that this information is programmatically determinable by the tool. 3. For instances of text rendered to the screen, check that the text's information includes its boundary, and that this information is programmatically determinable by the tool. |
| 11.5.2.11 List of available actions | Pass | Using an appropriate accessibility inspection tool for platforms: 1. For all user interface elements that have executable actions. 1.1 Check that the list of actions of the user interface element is programmatically determinable by the tool. |
| 11.5.2.12 Execution of available actions | Pass | Using an appropriate accessibility inspection tool for platforms: 1. Check that the user interface element's information includes the list of actions that can be executed by assistive technologies according to 11.5.2.11. 2. Check that all the actions in the list can successfully be executed by the tool. |
| 11.5.2.13 Tracking of focus and selection attributes | Pass | Using an appropriate accessibility inspection tool for platforms: 1. Check that the user interface element's information includes mechanisms to track focus, text insertion point and selection attributes. 2. Check that this information is programmatically determinable by the tool. 3. Activate those tracking mechanisms using the tool. 4. As a user, use the text editing functionality in the evaluated software product. 5. Check that the tracking of focus, text insertion point and selection attributes work |
| 11.5.2.14 Modification of focus and selection attributes | Pass | Using an appropriate accessibility inspection tool for platforms: 1. For user interface elements that can receive focus and where the |

| Criteria | Conformance Level | Procedure |
|-------------------------------|-------------------|--|
| | | <p>focus can be modified by a user without the use of assistive technology, check that the focus can be programmatically modified by the tool.</p> <p>2. For user interface elements that enable text editing by a user without the use of assistive technology, check that the position of the text insertion point can be programmatically modified by the tool.</p> <p>3. For user interface elements that enable text editing, check that the selection attributes can be programmatically modified by the tool where they can be modified by user without the use of assistive technology.</p> |
| 11.5.2.15 Change notification | Pass | <p>Using an appropriate accessibility inspection tool for platforms:</p> <ol style="list-style-type: none"> 1. Activate notifications of changes in the user interface elements. 2. Check that notifications about changes in object information (role, state, boundary, name and description) are sent to the tool, if this information changes in the software user interface. 3. Check that notifications about changes in row, column and headers of data tables are sent to the tool, if this information changes in the software. 4. Check that notifications about changes in values (current value, minimum value and maximum value) are sent to the tool, if this information changes in the software. 5. Check that notifications about changes in label relationships are sent to the tool, if this information changes in the software. 6. Check that notifications about changes in parent-child relationships are sent to the tool, if this information changes in the software. 7. Check notifications about changes in text (text contents, text attributes and the boundary of text rendered to the screen) are sent to the tool, if this information changes in the software. 8. Check that notifications about changes in the list of available actions are sent to the tool, if this |

| Criteria | Conformance Level | Procedure |
|--|-------------------|---|
| | | information changes in the software. 9. Check that notifications about changes in focus, text insertion point and selection attributes are sent to the tool, if this information changes in the software. |
| 11.5.2.16 Modifications of states and properties | Pass | Using an appropriate accessibility inspection tool for platforms: 1. Check that the state of user interface elements, whose state can be modified by a user without the use of assistive technology, can be programmatically modified using the tool. 2. Check the properties of user interface elements, whose properties can be modified by a user without the use of assistive technologies, can be programmatically modified using the tool. |
| 11.5.2.17 Modifications of values and text | Pass | Using an appropriate accessibility inspection tool for platforms: 1. Check that the values of user interface elements, whose values can be modified by a user without the use of assistive technology, can be modified by the tool using the input methods of the platform. 2. Check that the text of user interface elements, whose text can be modified by a user without the use of assistive technology, can be modified by the tool using the input methods of the platform. |
| 11.6 Documented accessibility features | | |
| 11.6.1 User control of accessibility features | Pass | Check that sufficient modes of operation exist where user control over platform features, that are defined in the platform documentation as accessibility features intended for users, is possible. |
| 11.6.2 No disruption of accessibility features | Pass | Check if software that provides a user interface disrupts normal operation of platform accessibility features. 2. Check if the disruption was specifically requested or confirmed by the user. |

| Criteria | Conformance Level | Procedure |
|-----------------------|-------------------|--|
| 11.7 User preferences | Pass | Check that the software provides a mode of operation that follows the platform settings. |

Chapter 12: Documentation and Support Services

Notes:

| Criteria | Conformance Level | Procedure |
|--|-------------------|----------------|
| 12.1 Product documentation | | |
| 12.1.1 Accessibility and compatibility features | Not applicable | Not applicable |
| 12.1.2 Accessible documentation | Not applicable | Not applicable |
| 12.2 Support Services | | |
| 12.2.2 Information on accessibility and compatibility features | Not applicable | Not applicable |
| 12.2.3 Effective communication | Not applicable | Not applicable |
| 12.2.4 Accessible documentation | Not applicable | Not applicable |

